

XCP™ UNIVERSAL PARTS CLEANER is a powerful non-chlorinated, solvent based fast evaporating cleaner and degreasing agent for use on a wide variety of parts and surfaces. It quickly penetrates into hard to reach parts and removes dirt, grease, oil and grime without leaving any residue. Use it on chains, machine parts and electrical contacts. Effectively removes dirt and grease deposits from 0-ring, X-ring and Z-ring chains. Removes residue and condensation from electrical equipment.

FEATURES:

- Excellent cleaning & degreasing power
- Fast drying
- Leaves no residue
- Displaces moisture
- Non-chlorinated



APPLICATION AREAS:

- Motorcycle & ATV Chains
- Agricultural Machinery
- Electrical Equipment

- Engines & Automotive Parts
- Printing Machinery
- And more...

- Industrial Machinery
- Hand & Power Tools

DIRECTIONS FOR USE:

Spray the relevant area with XCP™ UNIVERSAL PARTS CLEANER and allow the product to take effect, ensuring excess liquid is wiped off. Take precautions to avoid overspray. For heavily soiled parts and chains, use a brush or cloth to agitate the dirt. Repeat as necessary. If used on coated and/or non-metal surfaces and parts, always test on an inconspicuous area first.

CAUTION: Disconnect any live electrical sources before use.

PHYSICAL PROPERTIES:

- Odour: solvent, characteristic
- Appearance: Clear, colourless liquid
- Vapour pressure: 15,000 K Pa @ 20°C
- Specific gravity: 0.69 g/cm³ approx.
- Flash point: -25 °C/-13 °F (CC)
- Kinematic Viscosity @ 25°C/77°F: 0.45 mm²/s
- SILICONE FREE







COMPATIBILITY AND STORAGE:

XCP™ UNIVERSAL PARTS CLEANER is designed for use on metal parts, chains and electrical contacts. Compatibility testing is recommended prior to use. Store at room temperature and not in direct sunlight. Containers should be kept closed and users should consult application notes and material safety data sheet before use. Material safety data sheet is available from your supplier and/or at www.xcp-protection.com.

HANDLING:

Aerosol Spray

DANGER: Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects. Keep out of reach of children. Do not spray on an open flame or other ignition source. Keep way from heat, hot surfaces, sparks, open flames and other ignition surfaces. No smoking. Do not pierce or burn, even after use. Avoid breathing vapour/spray. Use only outdoors or in a well-ventilated area. Wear protective gloves / protective clothing / eye protection / face protection. If on skin: wash with plenty of water. If inhaled: remove person to fresh air and keep comfortable for breathing. Call a poison centre or doctor if you feel unwell. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Use only as directed. HMIS: H-1; F-4; R-0; PP-X

PACKAGING:

• 12 x 400ml/13.5 fl oz aerosol can

MORE INFORMATION:

www.xcp-protection.com





www.twitter.com/xcppro



XCP CORROSION TECHNOLOGIES

(A trading division of Marott Graphic Services (UK) ltd.)

Spott Road Industrial Estate, Dunbar, East Lothian, EH42 1RS, Scotland
T: +44 (0) 1368 862 082 F: +44 (0) 1368 864 491 E: info@xcp-protection.com



